

novello ⁺ SPN	14
novello ⁺ TPN	15
novello ⁺ vertical TPN modular incomer	16
novello ⁺ TPN phase segregated	17
novello ⁺ vertical TPN MCCB incomer	18
novello ⁺ one way enclosures	19
novello ⁺ plug & socket outlets - metal	20
golf enclosures	21
vector enclosures	22



VYS12C

SPN distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09

- Accessories:
- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard

IP30 Single Door DBs

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
6 way, 6 modules	1	VYS06C	1820
8 way, 8 modules	1	VYS08C	2290
12 way, 12 modules	1	VYS12C	2710
16 way, 16 modules	1	VYS16C	3340
18 way, 18 modules	1	VYS18C	3830



VYS12D

IP43 Double Door DBs

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
4 way, 4 modules	1	VYS04D	2410
6 way, 6 modules	1	VYS06D	2710
8 way, 8 modules	1	VYS08D	3000
12 way, 12 modules	1	VYS12D	3600
16 way, 16 modules	1	VYS16D	4580
18 way, 18 modules	1	VYS18D	5020

- IP54 DB's available upon request
- Glazed door DB's available upon request
- Pre-wired and TV telephone DBs available on request.
- For price and technical information, please contact your nearest Hager sales office.



VYT06CH

TPN distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module Incomer & SP MCBs as O/G

Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard

IP30 Single Door DBs

(Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 4+12 modules	1	VYT04CD	4690
6 way, 4+18 modules	1	VYT06CD	5680
4 way, 8+12 modules	1	VYT04CH	5140
6 way, 8+18 modules	1	VYT06CH	6330
8 way, 8+24 modules	1	VYT08CH	7440
12 way, 8+36 modules	1	VYT12CH	11030



VYT06DH

IP43 Double Door DBs

(Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. metal door	Unit MRP (₹)
4 way, 4+12 modules	1	VYT04DD	5690
6 way, 4+18 modules	1	VYT06DD	6840
4 way, 8+12 modules	1	VYT04DH	5930
6 way, 8+18 modules	1	VYT06DH	7310
8 way, 8+24 modules	1	VYT08DH	8780
12 way, 8+36 modules	1	VYT12DH	13130
16 way, 8+48 modules	1	VYT16DH	16280

Novello+ Distribution Boards



Advantages for you:

- Professional alignment with spirit level
- Reusable & flexible cable management
- Better protection with unique door packaging
- Upgrade to lockable enclosures possible

Standard Accessories:

- Wires sets
- Insulated bus bars
- Insulated neutral bars & earth bar
- blanking plates, Cable management system
- Circuit identification labels

- IP54 DB's available upon request
- Glazed door DB's available upon request
- Pre-wired and TV telephone DBs available on request.
- For price and technical information, please contact your nearest Hager sales office.



VYH04DH

TPN horizontal PPI distribution boards

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module incomers, 2 module subincomer & SP MCBs as O/G

Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard

IP43 Double Door DBs

(Incomer+ Sub Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
4+2 way, 8+6+12 modules	1	VYH04DH	11200
6+2 way, 8+6+18 modules	1	VYH06DH	13200
8+2 way, 8+6+24 modules	1	VYH08DH	18200
12+2 way, 8+6+36 modules	1	VYH12DH	21850

TPN tier PPI distribution board

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 8 module incomers, 2 module subincomer & SP MCBs as O/G

Accessories:

- Wires sets
- Insulated busbars
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Circuit identification labels as standard



VYP10DH

IP43 Double Door DBs

(Incomer+ Sub Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. plain door	Unit MRP (₹)
6+2 way, 8+6+18 modules	1	VYP06DH	13160
8+2 way, 8+6+24 modules	1	VYP08DH	15520
10+2 way, 8+6+30 modules	1	VYP10DH	16570
12+2 way, 8+6+36 modules	1	VYP12DH	17450
16+2 way, 8+6+48 modules	1	VYP16DH	18960
12+2 way, MCCB*+ 6 + 36 modules	1	VYP12DM	18160


- *Provision to mount frame X160 h3 MCCB

- For P160 h3+ MCCB mounting, please contact your nearest Hager sales office.

- Acrylic door and IP54 DB's, available upon request.

- For price and technical information, please contact your nearest Hager sales office.

Novello+ Distribution Boards





VYV04DL-P

vertical TPN distribution boards (modular incomer)

Characteristics:

- Single Door: IP30
- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- 12 module incomers, SP/TP MCB's outgoing

- Accessories:
- Interconnection labels
- Blanking plates
- Cable management kit

IP43 Double Door DBs


(Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 12+12 modules	1	▶ VYV04DL-P	14730
6 way, 12+18 modules	1	▶ VYV06DL-P	16470
8 way, 12+24 modules	1	▶ VYV08DL-P	18080
12 way, 12+36 modules	1	▶ VYV12DL-P	25450
16 way, 12+48 modules	1	VYV16DL-P	32380

Metering Box

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Ext Box for VTPN DD DB	1	VYV00M	8720

- Acrylic door and IP54 DB's, available upon request.
- For price and technical information, please contact your nearest Hager sales office.





VYV06DM-P

vertical TPN distribution boards (x160 h3 MCCB incomer)

Characteristics:

- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- X160 frame h3 MCCB incomer & SP/TP MCBs as outgoing
- Accessories:
 - 160A rated busbar
 - Blanking plates
 - Cable management kit
 - Identification labels as standard

IP43 Double Door DBs (MCCB + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	▶ VYV04DM-P	18240
6 way, MCCB+18 modules	1	▶ VYV06DM-P	20720
8 way, MCCB+24 modules	1	▶ VYV08DM-P	22810
12 way, MCCB+36 modules	1	▶ VYV12DM-P	30510
16 way, MCCB+48 modules	1	VYV16DM-P	36210



VYV06DM-P160

vertical TPN distribution boards (P160 h3+ MCCB incomer)

Characteristics:

- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- P160 frame h3 MCCB incomer & SP/TP MCBs as outgoing
- Accessories:
 - 160A rated busbar
 - Blanking plates
 - Cable management kit
 - Identification labels as standard

IP43 Double Door DBs (MCCB + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	VYV04DM-P160	18770
6 way, MCCB+18 modules	1	VYV06DM-P160	21330
8 way, MCCB+24 modules	1	VYV08DM-P160	23480
12 way, MCCB+36 modules	1	VYV12DM-P160	31390
16 way, MCCB+48 modules	1	VYV16DM-P160	37270



VYV06DM2-P

vertical TPN distribution boards (x250 h3 / P250 h3+ MCCB incomer)

Characteristics:

- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- x250 h3 / P250 h3+ frame h3 MCCB incomer & SP/TP MCBs as outgoing
- Accessories:
 - 250A rated busbar
 - Blanking plates
 - Cable management kit
 - Identification labels as standard

IP43 Double Door DBs (MCCB + Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	VYV04DM2-P	34830
6 way, MCCB+18 modules	1	VYV06DM2-P	37990
8 way, MCCB+24 modules	1	VYV08DM2-P	40630
12 way, MCCB+36 modules	1	VYV12DM2-P	41730
16 way, MCCB+48 modules	1	VYV16DM2-P	48360



VYG08DL

TPN phase segregated distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- Provision for mounting upto 12 module incomer, 4 module sub
- incomer in each phase & SP
- MCBs as outgoing

- Accessories:
- Insulated busbar
- Wire sets
- Insulated IP2X neutral bars & earth bar
- Blanking plates
- Cable management kit
- Identification labels as standard

IP43 Double Door DBs

(Incomer+ Sub Incomer + Outgoing Modules)

Description	Pack Qty.	Cat. Ref. modular incomer	Unit MRP (₹)	Cat. Ref. MCCB incomer*	Unit MRP (₹)
4 way, 12+12+12 modules	1	VYG04DL	14880	VYG04DM	21860
6 way, 12+12+18 modules	1	VYG06DL	16750	VYG06DM	24980
8 way, 12+12+24 modules	1	VYG08DL	18700	VYG08DM	28610
12 way, 12+12+36 modules	1	VYG12DL	23260	VYG12DM	32630

- *Provision to mount X160 frame H3 MCCB



VYC06DH

TPN phase selector distribution boards

Characteristics:

- Single Door: IP30
- Double Door: IP43
- As per IS 8623 - III
- Impact resistance IK09
- 63A rotary switches

- Accessories:
- Wire sets
- Insulated busbars, neutral bars & earth bars
- blanking plates
- Cable management kit
- Identification labels as standard

IP43 Double Door DBs

(Incomer+ Outgoing Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 8+12 modules	1	VYC04DH	20870
6 way, 8+18 modules	1	VYC06DH	20870
8 way, 8+24 modules	1	VYC08DH	20870
12 way, 8+36 modules	1	VYC12DH	25570



VYF414D

flexi distribution boards

Characteristics:

- Double Door: IP43 & IP54
- Plain & Acrylic doors
- As per IS 8623 - III
- Impact resistance IK09
- Flexibility to mount incomer & outgoing as per need

- Accessories:
- Blanking plates
- Insulated IP2X neutral bars & earth bar
- Circuit identification labels as standard

IP43 Double Door DBs

(Total Modules)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
2 row, 28 modules	1	VYF214D	8180
3 row, 42 modules	1	VYF314D	10110
4 row, 40 modules	1	VYF410D	9950
4 row, 56 modules	1	VYF414D	10700
4 row, 64 modules	1	VYF416D	12620

- Acrylic door and IP54 DB's, available upon request.
- For price and technical information, please contact your nearest Hager sales office.



VYM04C

one way enclosures

Characteristics:

- IP30 degree of protection

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
2 way, 2 modules	1	VYM02C	990
4 way, 4 modules	1	VYM04C	990
6 way, 6 modules	1	VYM06C	1710
8 way, 8 modules	1	VYM08C	1710
metal enclosure hinged door, 3 pole, x160 frame MCCB	1	VYM160HM	3790
metal enclosure hinged door, 4 pole, x160 frame MCCB	1	VYM161HM	3790
metal enclosure hinged door, 3 pole, x250 frame MCCB	1	VYM250HM	9890
metal enclosure hinged door, 4 pole, x250 frame MCCB	1	VYM251HM	9890
160A 3P MCCB h3+ Enclosure	1	VYM160HM-P160	4000
160A 4P MCCB h3+ Enclosure	1	VYM161HM-P160	4000
250A 3P MCCB h3+ Enclosure	1	VYM250HM-P250	10450
250A 4P MCCB h3+ Enclosure	1	VYM251HM-P250	10450
630A 3P MCCB h3+ Enclosure	1	VYM630HM-P630	11300
630A 4P MCCB h3+ Enclosure	1	VYM631HM-P630	11300



VYA220C

plug & socket outlets - metal

Characteristics:

- Supplied with metal plug & socket
- Provision to mount MCBs

- Metal plug & socket: IP30

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
10A 2 Pin + SC*, 1 modules	1	VYA110C	2240
20A 2 Pin + SC*, 1 modules	1	VYA120C	2330
20A 2 Pin + SC*, 2 modules	1	VYA220C	2540
20A 3 Pin + SC*, 4 modules	1	VYA420C	3910
32A 3 Pin + SC*, 4 modules	1	VYA432C	5120
63A 5 Pin + SC*, 8 modules	1	VYA863C	17710

* SC - Scraping Earth



VYB432C

plug & socket outlets - plastic

Characteristics:

- Plastic plug & socket: IP54
- Provision to mount MCBs

- Accessories:
- Plastic plug & socket

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
16A 3 Pin, 4 modules	1	VYB416C	3640
32A 3 Pin, 4 modules	1	VYB432C	3930
32A 5 Pin, 8 modules	1	VYB832C	7150
63A 5 Pin, 8 modules	1	VYB863C	18000



VZ130I & VZ140I

plug & socket outlets

Characteristics:

- Metal plug & socket: IP44

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)	Description	Cat. Ref.	Unit MRP (₹)
10A 2P+E Metal Plug	10	VZ130I	320	10A 2P+E Metal Socket	VZ140I	330
20A 2P+E Metal Plug	10	VZ131I	330	20A 2P+E Metal Socket	VZ141I	360
20A 3P+E Metal Plug	10	VZ132I	450	20A 3P+E Metal Socket	VZ142I	490
32A 3P+E Metal Plug	5	VZ133I	800	32A 3P+E Metal Socket	VZ143I	800
63A 5P Metal Plug	1	VZ134I	3650	63A 5P Metal Socket	VZ144I	3870

cable end box for novello⁺ DBs

Characteristics:

- Matt finish
- Powder coated with RAL 9010
- Cable end box suitable for double door DBs.
- Facilitates wiring & wire dressing
- Mounted on top of double door DBs



VYT08E

Description

CEB for SPN DBs	Pack Qty.	Cat. Ref.	Unit MRP (₹)
CEB for 4 way SPN DD DB	1	VYS04E	1100
CEB for 6 way SPN DD DB	1	VYS06E	1160
CEB for 8 way SPN DD DB	1	VYS08E	1290
CEB for 12 way SPN DD DB	1	VYS12E	1460
CEB for 16 way SPN DD DB	1	VYS16E	2060
CEB for 18 way SPN DD DB	1	VYS18E	2140

CEB for TPN DB (for 8mod incomer)

CEB for 4 way TPN DD DB	1	VYT04E	1890
CEB for 6 way TPN DD DB	1	VYT06E	2040
CEB for 8 way TPN DD DB	1	VYT08E	3590
CEB for 12 way TPN DD DB	1	VYT12E	4800
CEB for 16 way TPN DD DB	1	VYT16E	4800

CEB for TPN Horizontal PPI DB

CEB for 2 + 4 way Horizontal PPI DD DB	1	VYH04E	1980
CEB for 2 + 6 way Horizontal PPI DD DB	1	VYH06E	3110
CEB for 2 + 8 way Horizontal PPI DD DB	1	VYH08E	3640
CEB for 2 + 12 way Horizontal PPI DD DB	1	VYH12E	4110

CEB for TPNTier PPI DB

CEB for 2 + 6 way Tier PPI DD DB	1	VYP06E	1710
CEB for 2 + 8 way Tier PPI DD DB	1	VYP08E	1740
CEB for 2 + 10 way Tier PPI DD DB	1	VYP10E	2160
CEB for 2 + 12 way Tier PPI DD DB	1	VYP12E	3300
CEB for 2 + 12 way Tier PPI DD DB (MCCB)	1	VYP12EM	3450

CEB for vertical TPN DB

CEB for Vertical TPN DD DB	1	VYV00E	5280
----------------------------	---	---------------	------

CEB for Flexi DB

CEB for 14Mod flexy DB	1	VYF14E	1800
CEB for 16Mod flexy DB	1	VYF16E	2190

Note: DD means double door



VZ100i

Accessories for novello⁺ DBs

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Keylock + 2 keys	10	VZ100i	2150
Door handle for novello ⁺ TPN DB	10	VZ101i	940
Neutral link 5 connection	10	VZ110i	240
Neutral link 9 connection	10	VZ111i	330
Neutral link 15 connection	10	VZ112i	450
Neutral link 19 connection	10	VZ113i	510
4 way 8 Segment cover plate - 4 Mod	5	VZ120i	510
8 way 8 Segment cover plate - 4 Mod	5	VZ121i	620
6 way 8 Segment cover plate - 4 Mod	5	VZ122i	720
12 way 8 Segment cover plate - 4 Mod	5	VZ123i	825



VF312TJ

golf enclosures

Characteristics:

- Double door: IP40
- Flush & surface mounted versions
- Plain & transparent door versions system
- Easy and safe cable management

Flush mounting

Description	Pack Qty.	Cat. Ref. plain door	Cat. Ref. acrylic door	Unit MRP (₹)
1 row 4 modules (4 way SPN DB)	1	VF104PJ	VF104TJ	2100
1 row 8 modules (8 way SPN DB)	1	VF108PJ	VF108TJ	2760
1 row 12 modules (12 way SPN DB)	1	VF112PJ	VF112TJ	3500
1 row 18 modules (18 way SPN DB)	1	VF118PJ	VF118TJ	4440
2 row 24 modules (6 way TPN DB)	1	VF212PJ	VF212TJ	5360
2 row 36modules (8 way TPN DB)	1	VF218PJ	VF218TJ	5550
3 row 36 modules (8 way TPN DB)	1	VF312PJ	VF312TJ	7000
4 row 48 modules (12 way TPN DB)	1	VF412PJ	VF412TJ	8570



VS412PJ

Surface mounting

Description	Pack Qty.	Cat. Ref. plain door	Cat. Ref. acrylic door	Unit MRP (₹)
1 row 4 modules (4 way SPN DB)	1	VS104PJ	VS104TJ	2100
1 row 8 modules (8 way SPN DB)	1	VS108PJ	VS108TJ	2760
1 row 12 modules (12 way SPN DB)	1	VS112PJ	VS112TJ	3500
1 row 18 modules (18 way SPN DB)	1	VS118PJ	VS118TJ	4670
2 row 24 modules (6 way TPN DB)	1	VS212PJ	VS212TJ	5360
2 row 36modules (8 way TPN DB)	1	VS218PJ	VS218TJ	7280
3 row 36 modules (8 way TPN DB)	1	VS312PJ	VS312TJ	7000
4 row 48 modules (12 way TPN DB)	1	VS412PJ	VS412TJ	8570

golf enclosures



Advantages for you:

- Easy mounting - wall box can be turned 180° and has a removable cable entry slide
- More wiring space - between the modular devices and terminals as well as behind the DIN rails
- Clean and convenient wiring - thanks to patented integrated cable management system
- Unbreakable door hinges
- Same door for VS surface mounted version and VF flush mounted version
- Optimised conduit and trunking entries



VE318L

vector enclosures

Characteristics:

- Double door: IP65
- Surface mounted version

- Flexibility to mount incomer & outgoing as per need

Total modules

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 row 3 modules	1	VE103L	3220
1 row 6 modules	1	VE106L	4000
1 row 10 modules	1	VE110L	5570
1 row 12 modules	1	VE112L	6610
1 row 18 modules	1	VE118L	7870
2 row 24 modules	1	VE212L	8960
2 row 36 modules	1	VE218L	13260
3 row 36 modules	1	VE312L	12140
4 row 48 modules	1	VE412L	17210
3 row 54 modules	1	VE318L	19640
vector IP65 Key lock	1	VZ311	970

Busbars, neutral bars & other accessories for DBs

Characteristics:

- All Insulated busbars are rated for 63A



KDN163A

Fork busbars (for MCBs NBN---N, NCN---N & NDN---N)


Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 pole 1 mod step, 12 mod	100	KDN163A	590
1 pole 1 mod step, 56 mod	50	KD163B	2140
2 pole 2 mod step, 12 mod	50	KDN263A	1000
2 pole 2 mod step, 56 mod	20	KD263B	4230
3 pole 3 mod step, 12 mod	50	KDN363A	1060
3 pole 3 mod step, 57 mod	20	KD363B	5170
4 pole 4 mod step, 12 mod	25	KDN463A	2200
4 pole 4 mod step, 56 mod	10	KD463B	9500

Prong busbars (for MCBs ML---J)

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
1 pole 1 step 13 mod - Brown (phase)	1	KB163P	610
1 pole 1 step 13 mod - Blue (neutral)	1	KB163N	610

End caps for busbars

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
for 1 pole fork busbar	50	KZN021	40
for 2 & 3 pole fork busbar	10	KZN023	50
for 4 pole fork busbar	10	KZN024	90



KM14N

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
63A din rail mounting neutral link	25	KM14N	620
Half mod blanking plate	50	P031F	40
One mod blanking plate	50	P032F	40

new aptis+



Spacious
and smart

:hager

SPN Distribution Board	29
TPN Distribution Board	30
Vertical TPN Distribution Board	31
Vertical TPN distribution Board- MCCB Incomer	32
Flexi Distribution Board	33
Phase segregated Distribution Board	34


aptis+ Distribution Boards: Looks, features, technology- a perfect blend

Innovation is the key driver in our business, bringing clear differentiation in our products. Our solutions exceed the expectations of our customers given the product's ease-of-installation & ease-of-use.



**The new aptis+ enclosure
is primarily designed for
residential applications.**

aptis+, totally redesigned



A sophisticated design

The rounded door edge are just some of the signature features that make the new aptis+ enclosures so distinctive.



aptis+ your enclosure


We collaborated closely with end users to bring you this new version.

:hager

aptis+, a hub of innovation

Discover...

- 01** Quick, easy installation
- 02** Unrivalled accessibility
- 03** Easy wiring: tidier and safer
- 04** More features to make your day-to-day work easier
- 05** Reliable and safe: compliant standard IS/IEC 61439
- 06** RAL9016, powder coated
Door opening angle -180°
Impact resistance – IK09



SPN distribution boards

- Metal DBs for single phase & neutral (SPN) supply distribution

Technical data

- Conforms to IS/IEC 61439
- No. of modules – 4, 6, 8, 12, 16, 18 way
- Mounting – Surface / flush mounting
- IP43 for double door
- Material – CRCA sheet steel
- RAL9016

Incoming & outgoing devices

- Incoming : Two pole MCBs / RCBOs / RCCB / Isolator
- Outgoing : SP MCBs as per way

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- 100A tin plated insulated copper bus-bar
- Detachable Gland plate at Top & Bottom



Description	Pack Qty.	Cat. Ref.	MRP (₹)
4 way, 4 modules	1	VYS04DN	1930
5 way, 6 modules	1	VYS06DN	2230
8 way, 8 modules	1	VYS08DN	2410
12 way, 12 modules	1	VYS012DN	2780
16 way, 16 modules	1	VYS016DN	3600
18 way, 18modules	1	VYS018DN	3720

TPN Distribution Board Technical Data

- Conforms to IS/IEC 61439
- No. of modules – 4, 6, 8, 12, 16 way
- Mounting – Surface / flush mounting
- IP category
- IP43 for double door
- Material – CRCA sheet steel

-RAL 9016

Incoming & outgoing devices

- Incoming : Four pole MCBs / RCBOs / RCCB / Isolator
- Outgoing : SP MCBs as per way up to 63A

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- 100A tin plated insulated copper bus-bar
- Detachable Gland plate at Top & Bottom

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 8+12 modules	1	VYT04DHN	4,740
6 way, 8+18 modules	1	VYT06DHN	5,900
8 way, 8+24 modules	1	VYT08DHN	7,080
12 way, 8+36 modules	1	VYT12DHN	10,900
16 way, 8+48 modules	1	VYT16DHN	13,670



PPI CONVERSION KIT

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
For 4 way TPN DB	1	VYW04EN	3,360
for 6 way TPN DB	1	VYW06EN	3,790
for 8 way TPN DB	1	VYW08EN	4,340
for 12 way TPN DB	1	VYW12EN	4,880
for 16 way TPN DB	1	VYW16EN	5,430

Vertical TPN Distribution Board – Modular incomer

Technical data

- Conforms to IS/IEC 61439
- No. of modules – 4, 6, 8, 12, 16 way
- Mounting – Surface / flush mounting -- IP43 for double door
- Material – CRCA sheet steel
- RAL 9016

Incoming & outgoing devices

- Incoming : I/C 8 module, MCB, RCCB, RCBO
- Outgoing : SP / TP MCB

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- Accessory kit
- Detachable Gland plate at Top & Bottom
- 200A copper bus bar

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 8+12 modules	1	VYV04DLN	11,680
6 way, 8+18 modules	1	VYV06DLN	13,130
8 way, 8+24 modules	1	VYV08DLN	15,230
12 way, 8+36 modules	1	VYV12DLN	20,650
16 way, 8+48 modules	1	VYV16DLN	23,720

Vertical TPN Distribution Board – MCCB incomer (*h3 x160 frame 3P/ 4P MCCB)

Technical data

- Conforms to IIS/IEC 61439
- No. of modules – 4, 6, 8, 12, 16 way
- Mounting – Surface / flush mounting -- IP43 for double door
- Material – CRCA sheet steel
- RAL 9016

Incoming & outgoing devices

- Incoming : I/C 3P/4P MCCB (X160 MCCB) PROVISION-1NO
- Outgoing : SP / TP MCB

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- Accessory kit
- Detachable Gland plate at Top & Bottom
- 200A Copper bus

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, MCCB+12 modules	1	VYV04DMN	14,380
6 way, MCCB+18 modules	1	VYV06DMN	15,940
8 way, MCCB+24 modules	1	VYV08DMN	18,170
12 way, MCCB+36 modules	1	VYV12DMN	23,840
16 way, MCCB+48 modules	1	VYV16DMN	27,310

Flexi Distribution Board

Technical data

- Conforms to IS/IEC 61439
- Available in 28, 42, 40, 56 and 64 modules
- Mounting – Surface / flush mounting
- IP43 for double door
- Material - CRCA sheet steel

-RAL 9016

Incoming & outgoing devices

Flexibility to mount incomer and outgoing as per need

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- Accessory kit
- Detachable Gland plate at Top & Bottom

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
2 row, 28 modules	1	VYF214DN	6,120
3 row, 42 modules	1	VYF314DN	7,330
4 row, 40 modules	1	VYF410DN	7,970
4 row, 56 modules	1	VYF414DN	8,570
4 row, 64 modules	1	VYF416DN	10,110



Distribution Boards

Phase Segregated Distribution Board



Phase Segregated Distribution Board

Technical data

- Conforms to IS/IEC 61439
- No of modules – 4, 6, 8, 12 modules
- Mounting – Surface / flush mounting
- IP43 for double door
- Material - CRCA sheet steel
- RAL 9016

Incoming & outgoing devices

- Incoming : I/C 8 module, MCB, RCCB, RCBO- 1no
- Sub Incoming: 4 Module, RCCB, RCBO- 3no per phase
- Outgoing : O/G SP MCBs

Features & benefits:

- Reversible door with 180 degree opening
- IP2X Neutral terminal
- Cement spill protection
- Anti wall insertion marking
- Accessory kit
- Detachable Gland plate at Top & Bottom

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
4 way, 8+12+12 modules	1	VYG04DLN	12,670
6 way, 8+12+18 modules	1	VYG06DLN	14,280
8 way, 8+12+24 modules	1	VYG08DLN	15,930
12 way, 8+12+36 modules	1	VYG12DLN	19,770



Accessories

Description	Pack Qty.	Cat. Ref.	Unit MRP (₹)
Cable end box, VTPN, DD	1	VYV00EN	3,870
Cable end box, TPN, 4 way, DD	1	VYT04EN	1,380
Cable end box, TPN, 6 way, DD	1	VYT06EN	1,500
Cable end box, TPN, 8 way, DD	1	VYT08EN	2,630
Cable end box, TPN, 12 way, DD	1	VYT12EN	3,520
Cable end box, TPN, 16 way, DD	1	VYT16EN	3,520
Cable end box, SPN, 4 way, DD	1	VYS04EN	810
Cable end box, SPN, 6 way, DD	1	VYS06EN	850
Cable end box, SPN, 8 way, DD	1	VYS08EN	940
Cable end box, SPN, 12 way, DD	1	VYS12EN	1,070
Cable end box, SPN, 16 way, DD	1	VYS16EN	1,510
Cable end box, SPN, 18 way, DD	1	VYS18EN	1,570
Cable end box, PSG DB, 4way, DD	1	VYG04EN	1,850
Cable end box, PSG DB 6way, DD	1	VYG06EN	2,070
Cable end box, PSG DB, 8way, DD	1	VYG08EN	2,300
Cable end box, PSG DB, 12way, DD	1	VYG12EN	3,310
Cable end box, flexy DB, 4 Row 14M	1	VYF14EN	1,320
Cable end box, flexy DB, 4 Row 16M	1	VYF16EN	1,610